



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

Health Department

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Routine Food

PARK PLACE HOSPITALITY LLC
HILTON GARDEN INN
11600 W Park Pl
Milwaukee, WI

2/17/2016

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
Personal Hygiene		
6-301.11	Soap dispenser at the bar handsink does not dispense soap. Make sure all handsinks are supplied with soap.	2/17/2016
6-301.14	Some handsinks did not have handwashing procedure signage. Provide a sign at all handwash sinks informing employees to wash their hands.	2/17/2016
CDC Risk Violation(s):	2	

Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
4-501.116	Sanitizer at bar grill area was less than 200ppm. Use a test kit to ensure QAC sanitizer is at 200ppm.	2/17/2016
4-601.11	A) Juice and soda dispensers in the waitress station have sticky residue build up. B) Utensil pans have debris build up. Clean and maintain all equipment.	2/17/2016
5-202.11	A) Mop sink does not have proper backflow prevention device attached. B) Warewashing machine is leaking at entrance rail. C) Floor drain at warewash station is backed up and not draining properly. Properly repair plumbing.	3/2/2016

Good Practice Violation(s): 3



City of Milwaukee

Health Department

Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Sandra J. Rotar
Health Operations Administrator

www.milwaukee.gov/health

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

Total Violations:

Notes:

CFM James Nowak 9/1/16
Variance procedure for par-cook is in process, to be completed 2/18/16

On 2/17/2016, I served these orders upon PARK PLACE HOSPITALITY LLC by leaving this report with

Inspector Signature (Inspector ID:114)

Operator Signature